

PFAFF®



expression™ Round Cushion

You need

- PFAFF® expression™ sewing machine
- 18" x 55" (45 x 140 cm) Green/white fabric with leaf design
- 14" x 55" (35 x 140 cm) Purple cotton fabric
- 10" x 45" (25 x 115 cm) Batting
- 16" x 16" (40 x 40 cm) Fusible interfacing (optional only if leaf fabric is lightweight)
- Sewing thread to match the fabric
- Opalescent metallic embroidery thread
- Purple embroidery thread
- Bobbin thread
- 8" x 8" (20 x 20 cm) Fusible web
- Tear away stabilizer
- Water soluble marker
- Pins
- 3 Covered button forms
- 19 green pompoms
- 38 large purple sequins
- Round pillow form



PFAFF® Accessories

- | | |
|---|------------|
| • Fringe Presser Foot | 820232-096 |
| • Sewing Star Foot | 820654-096 |
| • Topstitch Needle | 6200714-96 |
| • Embroidery/Sensormatic Free-motion Foot * | 820671-096 |
| or Free-motion/Darning foot | 820243-096 |
| • Sensormatic Buttonhole foot | 820669-096 |

You will find these and many other accessories in the PFAFF® Accessory Catalogue, or on the web site www.pfaff.com, and for purchase at your nearest PFAFF® Dealer.

* only for quilt expression™ 4.0

Cutting Instructions

3/8" (1cm) seam allowance included in all measurements.

Green/white leaf fabric:

1 - 16" x 16" (40 x 40 cm) pillow front piece

Purple fabric:

2 - 12" x 16" (30 x 40 cm) pillow back pieces

1 - 8" x 8" (20 x 20 cm) pillow front piece


Batting:

2 - 8" x 16" (20 x 40 cm) pillow back pieces


Sewing Instructions

Pillow Front:


- If the 16" x 16" (40 x 40 cm) green/white leaf fabric is lightweight, press fusible interfacing on the wrong side of the front piece. With the water soluble marker mark the center point of the fabric. Draw two circles; the outer circle with a diameter of 12" (30 cm) and the inner circle with the diameter of 7" (18 cm).



- Draw a line between the two circles. Mark 19 dots to the left of the line with 1" (2.5 cm) between the dots for the outer circle. Mark 19 dots to the left of the line with 1/2" (1.5 cm) between the dots for the inner circle. Draw lines between the dots on the outer and inner circle.




- Snap on the Sewing Star Foot and insert a topstitch needle. Thread with metallic thread on top and bobbin thread on the bottom. Place tear away stabilizer underneath the fabric. Sew quilt and needle art stitches on the marked lines. Tear away the stabilizer and press.




Leave out one art stitch


- Press fusible web on the wrong side of the 8" x 8" (20 x 20 cm) purple fabric. Mark the center point on the fabric. Draw an outer circle with a diameter of 7" (18 cm) and an inner circle with a diameter of 5" (12.5 cm) with the marking pen. Cut around the outer circle line. Tear away the cover paper on the fusible web.



- Center the purple fabric on the green/white leaf fabric and press in place. Place stabilizer under the green/white leaf fabric. Choose a narrow zigzag and thread the machine with purple embroidery thread. Sew around the edge of the purple fabric.



- Snap on the Fringe Presser Foot and set your machine according to the instructions in the Accessory catalogue. Sew over the inner circle line follow the marked line and sew the outer circle line. In the end overlap the seam a few stitches. Tear away the stabilizer.




Covered Buttons:

- Place stabilizer under on a piece of green/white leaf fabric. Mark two lines on the fabric and sew a needle art stitches on each line.




- Cut out a circle with the stitching in the middle to fit the covered button form. Make three covered buttons.




Pillow Back:


- Fold and press one of the purple back pieces to the wrong side 4" (10 cm) on one long side. On the other back piece fold 2" + 2" (5 + 5 cm) to the wrong side and press.




- Overlap the back pieces 2 ½" (6.5 cm) on the folded sides. Mark the shape of the pillow on both pieces.



- Unfold the fabric and place batting underneath the fabric up to the edge with the fold. Attach the Embroidery/Sensormatic Free-motion foot or Free-motion/Darning foot. Set machine to free-motion straight stitch. Free-motion "stone" shapes on both back pieces.




- Fold the edges on both back pieces and cut out the pillow. Mark on one folded back piece three buttonholes $7/8"$ (2 cm) from the edge. Attach the Sensormatic Buttonhole Foot and sew the buttonholes.



Assembly instructions

- Overlap the back pieces $2\frac{1}{2}"$ (6.5 cm) and pin in place. Pin and sew the back and front pieces together, right side together. Trim the seam allowance and turn right side out.
- Sew the three buttons in place.
- Mark and place 19 pins around the pillow with 2" (5 cm) between each pin. Sew one green pompom together with two sequins at each mark.



- Insert the pillow form.