
11 BUILT-IN BUTTONHOLE PATERNS WITH BARTACK AND EYELET



BARTACKING

Use the bartacking stitch to sew corner of pockets, ends of zippers, belt loops and





EYELET

The purpose of the eyelet is to pass a string through it and as decoration for clothes.





SPECIFICATIONS	
DIMENSIONS	9.5" (W) x 3" (H) x 8.25" (D)
WEIGHT	5lbs
VOLTS/WATTS/HERTZ	100V / 8W 50 / 60Hz
SEWING SPEED	155 - 475 SPM
MATERIAL THICKNESS	4.0mm Sewable
MATERIAL THICKNESS	7.5mm with Presser Frame

COMPATIBLE MODELS	
TL-98	TL-2020PE
TL-2000Qi	TL-15
TL-2010Q	
TL-2200QVP Mini	
Haruka TL-18QVP	

本カタログの価格は全て税込表示となっています。




■アフターサービスはお買い上げの販売店へお問い合わせください。 転居などの理由によるアフターサービスについて、ご相談、ご要望がございましたら右記へお電話ください。 お客様相談室 000 0120-677-601



〒206-8551 東京都多摩市鶴牧2-11-1 https://www.juki.co.jp

UKI ECO PRODUCTS 基準をクリア した環境に配慮した商品です。




nttps://www.juki.co.jp/company/eco/conscious/ を参照下さい。

★この印刷物に記載の商品の色は、実際と多少異なる場合がございます。 また、製品改良のため、仕様の一部及び海型小売機体を予告なく変更することがありますのでご了承ください。 ★ご購入の際には、ご購入年日に、販売任名などの所定事項が加入された保証書を必ずお受け取りになり、大切に保管してください。

2304(F) S-798













Discover the ultimate sewing dream team for your home!

With the powerful JUKI TL semi-industrial sewing machine, the fantastic MO overlock serger, and the incredible EB-1 buttonhole device, you'll achieve professional-quality stitching that will bring joy to your crafting endeavors!







Beautiful Buttonhole Stitch

Seamlessly Stitch Buttonholes With No Jamming!





EB-1 stitches buttonhole patterns by moving the presser frame with material. You can rotate the pattern by 90 degrees in 4 different directions on a X and Y axis. This way, you can stitch vertical and horizontal buttonholes. In addition, sew buttonholes dense fabric with ease since no jamming happens. Achieve perfect a buttonhole stitch every time!




Easy-to-Use Clear Presser Foot

This 1 cm grid lets you easily set the sewing project for both X and Y axis. In addition, the clear presser foot easily allows you to place your starting T-position and check the mark on your favorite to sew accurate buttonholes.

Computerized Buttonhole Device

The EB-1 is a computerized buttonhole device that enables you to select from various buttonhole stitch patterns and other detailed settings.









Buttonhole Size is Optimized for Each Type of Button



5mm-32mm Button Diameter Setting






By inputting the diameter of button in 1mm increments, you stitch the appropriate buttonhole automatically. The EB-1 is capable of stitching buttonhole sizes from 5mm to 32mm. ** 5mm is the minimum buttonhole size.




Zigzag Width



By inputting the diameter of button in Imm increments, you can stitch the appropriate buttonhole automatically. The EB-1 is capable of stitching buttonhole sizes from 5mm to 32mm.



Knife Width



Set the value to fit the size of the button. For bartacking select from 3 to 7mm and for eyelet select from 6 to 7mm.





Flexible Seam Volume

Control Density with Stitch Length Sewing Volume Setting



With a short stitch length, you can achieve a higher stitch density.



Increase the length of the stitch to achieve reduce density for decorative buttonholes.



You can choose a single or double stitch. With double overlapped stitching, you can achieve sewing volume.

Setting Value

0.3, 0.4, 0.6, 0.8, 1.0, 1.2, 1.4, 1.6, 1.8 (mm)


Capable of Creating a Basting Stitch





Prevent Fabric Stretching with the Basting Stitch

When you increase the number of basting stitch, you can stitch stretchy materials like a knit more beautifully.







Accessible Features




Four Direction Layout



Four rotation angles available including 0, 90, 180, and 270 to stitch both horizontal and vertical buttonhole.




Adjustable Sewing Speed



Choose between two sewing speed: slow for turtle and fast for rabbit.

Restart Easily When Thread Breaks



Even if the needle thread breaks, you can roll back and restart in the middle of buttonhole.



Memorize the Latest Setting



Memorize the latest setting including length, width, rotation angle and more.

Useful Accessories

Difference-in-Height Correction Plate



The difference-in-height correction plate is used when sewing buttonholes on multilayered parts of the material.

Non-Slip Sheet





The non-slip sheet can be placed on a slippery fabric so that it does not easily slip. The sheet can also be cut to adjust its length as desired.