


# Amber™ Air S | 600

Air-Threading Coverlock Machine

FEATURES AND BENEFITS



### ONE-TOUCH ELECTRONIC AIR-THREADING LOOPERS

With the HUSQVARNA® VIKING® AMBER™ Air S | 600 one-touch air-threading feature, you can effortlessly thread the machine loopers with the simple push of a button.



### EXCLUSIVE SEWING ADVISOR

The Exclusive SEWING ADVISOR sets the best stitch length, differential feed and thread tension for your chosen fabric type - all to give you a perfect result.



### COLOR TOUCHSCREEN

Select your stitch, and the optimal thread tensions, recommended stitch length, and more are displayed on the color touch screen.

### EXCEPTIONAL LIGHTING

Exceptional illumination of the sewing area for optimal visibility.


### PRECISE THREAD CONTROL

This patented feature allows for fine-tuning the overedge threads for perfect stitch formation along fabric edges.




## 26 Stitches

The 5/4/3/2 thread stitch capability provides 26 different stitch options for a wide range of stitch techniques.




### COVERSTITCH

Triple coverstitch and double coverstitch narrow and wide for activewear, hems and decorative applications.




### CHAINSTITCH

Seams, basting and decorative applications.



### 5-THREAD SAFETY STITCH (WIDE AND NARROW)

A chainstitch and 3-thread overedge for durable, professional seams.



### 4-THREAD SAFETY STITCH (WIDE AND NARROW)

A chainstitch and 2-thread narrow or wide overedge for durable seams.



### 3-THREAD PICOT EDGE

Delicate finish for edges on lightweight fabrics.



### 4-THREAD OVERLOCK

Seams and seam finishing.



### 3-THREAD OVERLOCK (WIDE AND NARROW)

Seam finishing and decorative edges.



### 3-THREAD NARROW EDGE

Fine, narrow hems and edging.



### 3-THREAD ROLLED EDGE

Rolled hems and edges.




### 3-THREAD FLATLOCK (WIDE AND NARROW)

Flat seams and decorative embellishment.



### 3-THREAD STRETCH OVERLOCK

Seams on super stretch fabrics.



### 3-THREAD WRAPPED OVERLOCK (WIDE AND NARROW)

Edge finish for lightweight fabrics.




### 2-THREAD OVERLOCK (WIDE AND NARROW)

Overcasting for single layer of fabric.



### 2-THREAD WRAPPED EDGE OVERLOCK (WIDE AND NARROW)

Edge finish for lightweight fabrics.




### 2-THREAD ROLLED EDGE

Edging on lightweight fabrics.



### 2-THREAD NARROW EDGE

Fine, narrow hems and edging.



### 2-THREAD FLATLOCK

Flat seams and decorative embellishment.

**FREE ARM**

The free arm provides easy access for smaller projects like cuffs, hems and children’s clothing.

**KNEE LIFT**

Hands-free presser foot lift for ease and control.

**EXTENSION TABLE INCLUDED**

The extension table provides 12” (30cm) of additional level workspace. This table also features a series of evenly spaced pin holes to accommodate the included pivot pin for circular stitching.

**STABILITY**

A reinforced frame makes the HUSQVARNA® VIKING® AMBER™ Air S | 600 stable for sewing fabrics from lightweight to heavy.

**AUTO TENSION**

Automatic tension gives you the optimal result for every stitch. You also have the ability to fine tune the tension for special techniques, threads or fabrics.

**SPACIOUS WORK AREA**

The area to the right of the needle is 2.5” (64mm) high and 4.8” (123mm) wide, providing ample room when sewing larger projects.

**STITCH MEMORY**

Save personal stitch settings for future use.

**SPEED CONTROL**

Choose from five different speed settings, allowing you to set your machine’s maximum sewing speed to your preference.

**BUILT-IN TWEEZERS AND SCISSORS HOLDER**

Your tweezers and scissors have their special spot with built-in holders on the thread guide.

**BUILT-IN 2-THREAD CONVERTER**

Fast and easy conversion to 2-thread sewing mode.

**DIFFERENTIAL FEED**

Perfectly even seams with no distortion; Can also be used for gathering.

**ELECTRONIC PIERCING POWER**

Stitch-by-stitch control with full piercing power at all speeds.

**STITCH SAFETY LOCK**

Machine will not sew if front cover is open or if presser foot is raised.

**ADJUSTABLE PRESSER FOOT PRESSURE**


Ensures smooth fabric feed for a wide range of fabric thicknesses.

**THREADING GUIDES FOR A WIDE RANGE OF THREAD TYPES**

Thread guides accommodate standard overlock thread or heavier decorative threads with ease.

**ADJUSTABLE STITCH LENGTH**

Alter stitch length for various fabrics and techniques.



### ADJUSTABLE CUTTING WIDTH

Sew neat edges on a wide range of fabric types.

### EXTRA PRESSER FOOT HEIGHT

Easily accommodates thicker layers and heavyweight fabrics.

### SNAP-ON PRESSER FEET

Change presser feet with the simple push of a button.

### UNIVERSAL STANDARD PRESSER FOOT

The Universal Standard Presser Foot that is included with the HUSQVARNA® VIKING® AMBER™ Air S | 600 coverlock machine can be used with all stitches.

### TENSION RELEASE

Threads pull easily when presser foot is up.

### INTEGRATED THREAD CUTTER

Quickly and easily trims your thread chain.

### MOVABLE UPPER CUTTER

Disengage the upper cutter for specialty techniques.

### WASTE TRAY

Attachable waste tray to catch fabric trimmings.

### SOFT GRIP HANDWHEEL

The soft grip handwheel provides optimal comfort and control.

### CARRY HANDLE

For convenience when transporting your coverlock machine.

### ACCESSORIES INCLUDED

Spool holders, spool caps, thread nets, tweezer, needle threader, allen key, screw driver, lint brush, sewing machine oil, knife blade for upper cutter, stylus, coverstitch table, knee lifter, accessory storage box, threading wire, foot control, waste tray, soft dust cover, pack of needles, pivot pin for circular stitching, extension table.

### OPTIONAL ACCESSORIES AVAILABLE

Choose from a wide variety of optional accessories for creative possibilities. Corded Wavy Edge Foot, Elastic Foot, Blind Hem and Lace Foot, Piping Foot, Beading Foot, Gathering Foot, Taping Foot, Clear Coverstitch Foot, Flat Trim Foot, Join and Fold Edging Foot, Strap and Belt Loop Foot, Piping Foot with Corded Guide, Coverstitch Binder, Coverstitch Hemmer, Overlock Feet Kit (Gathering, Elastic, Blind Hem, Piping, Taping), Coverstitch Feet Kit (Clear Coverstitch, Flat Trim, Join and Fold Edging, Strap and Belt Loop, Piping with Cording Guide).

[husqvarnaviking.com](http://husqvarnaviking.com)

