



# Floral Appliqué Quilt

H|CLASS™ 100Q

Approximate Size: 58" x 58" (148 x 148 cm)

## SEWING SUPPLIES

- H|CLASS™ 100Q sewing machine by HUSQVARNA VIKING®
- 8" x 45" (20 x 115 cm) of 17 different shades of Batik fabrics for pieced outer border
- 10" x 10" (25 x 25 cm) of 3 different cotton prints for the flowers
- 6" x 6" (15 x 15 cm) of 3 different cotton prints for the large circle in the flower
- 4" x 4" (10 x 10 cm) of 3 different cotton prints for the small circle in the flower
- 15" x 15" (40 x 40 cm) green Batik for the leaves
- 12" x 45" (30 x 115 cm) pink Batik for the narrow border
- 4 ¾ yds x 45" (4.4 m x 115 cm) yellow gold Batik for quilt center, binding and backing
- 65" x 65" (170 x 170 cm) cotton batting
- Fusible web
- Tear away stabilizer
- Rayon Embroidery thread
- Bobbin Thread
- Cotton sewing thread
- Pins
- Safety Pins
- Quilting needle
- 45 mm rotary cutter and mat
- Ruler 6" x 24"

## HUSQVARNA VIKING ACCESSORIES

¼ inch Piecing foot, #412785545

Open Toe Foot, #412800945

Open Toe Free Motion Spring Foot, #413037646

Interchangeable Dual Feed Foot, #920219096

Changeable Quilter's Guide Foot, #413155545

Clear Stitch-In-The-Ditch Foot, #412927446

You will find these and many other accessories, on the HUSQVARNA VIKING® website at: [www.husqvarnaviking.com](http://www.husqvarnaviking.com).

## CUTTING INSTRUCTIONS

- **17 different shades of Batik fabrics** - from each fabric cut:
  - 2 strips 2 ¼" x 45" (6 x 115 cm) for pieced outer border
- **Pink Batik for the narrow border**
  - 2 strips 2 ¼" x 35 ½" (6 x 90.5 cm)
  - 2 strips 2 ¼" x 37 ¼" (6 x 95 cm)
- **Yellow Gold Batik**
  - 1 square 35 ½" x 35 ½" (90.5 x 90.5 cm) quilt center
  - 1 piece 45" x 65" (115 x 170 cm) and 1 piece 20" x 65" (50 x 170 cm) quilt back
  - 4 strips 2 ½" x 65" (6.5 x 170 cm) binding

## ASSEMBLING THE QUILT TOP


(1/4" seam allowance)

### Appliqué Flowers:


- Trace 3 flowers, 3 large circles, 3 small circles, 3 leaves, and 3 mirror image leaves templates on to the paper side of the fusible web. Cut out roughly.
- Fuse flower fusible web onto the wrong side of the 3 different cotton prints for the flowers.
- Fuse large circle fusible web onto the wrong side of the 3 different cotton prints for the large circles.
- Fuse small circle fusible web onto the wrong side of the 3 different cotton prints for the small circles.
- Cut out each of the pieces.

### Quilt Center:

- Thread your H/Class 100Q with sewing thread on top and in the bobbin. Attach the ¼ inch Piecing foot.
- Pin one of the 2 ¼" x 35 ½" (6 x 90.5 cm) narrow border strips right side together with the 35 ½" x 35 ½" (90.5 x 90.5 cm) quilt center. Sew together using a ¼" (6 mm) seam allowance. Press towards the border strip.
- Repeat for the other 2 ¼" x 35 ½" (6 x 90.5 cm) narrow border strip. Press towards the border strip. **See illustration 1.**
- Pin one of the 2 ¼" x 37 ¼" (6 x 95 cm) narrow border strips right side together with one of the remaining sides of the quilt center. Sew together using a ¼" (6 mm) seam allowance. Press towards the border strip.
- Repeat for the other 2 ¼" x 37 ¼" (6 x 95 cm) narrow border strip. Press towards the border strip. **See illustration 2.**






1.




2.

### Pieced Border:

- Arrange the 17 different shades of Batik fabrics in the order that you would like them to be in your pieced border.
- Sew the strips together lengthwise to create 2 stratas with 17 strips in each. See **illustration 3**.
- Press the seams to one side.
- Cut the stratas into a total of 7 strips 10" (26 cm) wide. See **illustration 4**.
- Sew the 7 strips together end to end to create one long strip.
- Measure across the side of the quilt and separate from the long pieced strip a length long enough for the side border.
- Pin the pieced border and the quilt right side together and stitch together. Press towards the narrow border.
- Repeat for the opposite side of the quilt. See **illustration 5**.
- Measure across the top of the quilt and separate from the long pieced strip a length long enough for the top pieced border.
- Pin the pieced border and the quilt right side together and stitch together. Press towards the narrow border.
- Repeat for the bottom of the quilt. See **illustration 6**.




## APPLIQUÉ FLOWERS

- Remove paper backing from appliqué pieces.
- Fuse the flowers and leaves onto the quilt top.  
**See illustration 7.**
- Thread your H/Class 100Q sewing machine with rayon embroidery thread on top and bobbin thread in the bobbin. Attach the Open Toe foot.
- Place tear away stabilizer under the quilt where you will be stitching the appliqué.
- Select blanket stitch #09 .
- Stitch around the leaves and the three parts of the flower.
- Remove the stabilizer.

## QUILTING

- Pin and sew the 45" x 65" (115 x 170 cm) and 20" x 65" (50 x 170 cm) quilt back pieces together along the 65" (170 cm) length. Press the seam to one side.
- Place the backing on a flat surface, right side down. Center the batting on top of the backing. Center the quilt top right side up on top of the batting. Secure with safety pins approximately every 4" (10 cm) all over the quilt. Start from the center and work your way out.
- Thread your H|Class 100Q sewing machine with rayon embroidery thread on top and bobbin thread in the bobbin. Insert a quilting needle.
- Set your sewing machine for free motion. For information about setting the machine see your users guide. Attach the Open Toe Free Motion Spring Foot. Lower the feed dogs.
- Free-motion quilt the center of the quilt and around the appliqué flowers. For even stitches move the fabric in a smooth, even motion. Remove the safety pins as you come to them.
- Attach the Interchangeable Dual Feed Foot and the Changeable Quilter's Guide Foot.
- Quilt around the border and in between each seam of the pieced border.

7.



## FINISHING THE QUILT

- Attach your B foot. Thread your machine with regular sewing thread top and bottom. Select stitch #03- Three Step Zig Zag and stitch around the edge of the quilt top.
- Trim the excess backing and batting even with the edge of the quilt top.

## BINDING

- Sew the binding strips together into one long strip. Press the seams open. Fold the binding in half lengthwise, wrong sides together, and press.
- Place the binding on the right side of the quilt with the raw edges even. Attach your 1/4" Piecing Foot. Stitch the binding in place around the quilt. Fold the folded edge of the binding to the wrong side of the quilt and stitch in the ditch from the right side with the Clear Stitch-In-The-Ditch Foot